


DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims

1. (Currently amended) A compound of formula I



wherein

A is

-(C₀-C₄)-alkylene,

B, D and E are identical or different and are, independently of each other,

-(C₀-C₄)-alkylene,

-(C₂-C₄)-alkenylene,

-S(O)₀-,

-NH-,

-NH-C(O)-,

-C(O)-NH-,

-NH-SO₂-,

-NH-C(O)-NH-,

-NH-C(S)-,

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

-NH-C(O)-O-,
-O-,
-O-C(O)-NH-,
-C(O)-,
-O-(CH₂)_n-O-, or
-O-(CH₂)_m-NH-,

o is

zero, 1 or 2,

n is

2 or 3,

m is

2 or 3,

~~ring-1~~ ring¹, ~~ring-2~~ ring² or ~~ring-3~~ ring³ are identical or different and are, independently of each other,

covalent bond,

-(C₆-C₁₄)-aryl that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or

5- or 6-membered aromatic heteroaryl ring that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

~~ring-4~~ ring⁴ is

-(C₆-C₁₄)-aryl that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,


5- or 6-membered aromatic heteroaryl ring that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

heteroaryl that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or

azaheterocyclyl selected from the group consisting of

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT



that are unsubstituted or substituted, independently of each other, once, twice or three times, by G,

G is

hydrogen,

halogen,

R⁴,

-O-R⁴,

-C(O)-R⁵,

-S(O)_p-R⁴,

-NO₂,

-CN or

-NR³R⁴,

p is

zero, 1 or 2,

X is

-OH or -NH-OH,

X¹ X₁ and X² X₂ are identical or different and are, independently of each other,

hydrogen or -(C₁-C₆)-alkyl, or

taken together form the radical =O,

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

n^1 is



n^2 is



r is

zero, 1, 2 or 3,

q is

zero, 1, 2 or 3,

R^1 is

hydrogen, or

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once or twice, by -(C₃-C₆)-cycloalkyl, -(C₆-C₁₄)-aryl or heteroaryl,

~~R₂~~ R^2 and R^3 are identical or different and are, independently of each other,

hydrogen or -(C₁-C₆)-alkyl,

R^4 is

hydrogen,

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once, twice or three times, by halogen, -(C₃-C₆)-cycloalkyl, -(C₆-C₁₄)-aryl or heteroaryl,

-(C₆-C₁₄)-aryl,

heteroaryl,

-C(O)-O-R⁵,

-C(S)-O-R⁵,

-C(O)-NH-R⁶, or

-C(S)-NH-R⁶,

R^5 is

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once or twice, by -(C₃-C₆)-cycloalkyl, -(C₆-C₁₄)-aryl, or heteroaryl, ~~-(C₆-C₁₄)-aryl, or heteroaryl,~~ and

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

R⁶ is

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once or twice, by -(C₃-C₆)-cycloalkyl, -(C₆-C₁₄)-aryl or heteroaryl, or ~~-(C₆-C₁₄)-aryl, or~~

a stereoisomer thereof, a mixture of stereoisomers thereof in any ratio, or a physiologically tolerable salt thereof:-

wherein N-[(3,5-dichlorobenzene)sulfonyl]-(3a(S), 7a(S))-octahydro-indole-2(S)-carboxylic acid and N-tosylperhydrocyclopenta[b]pyrrole-2-carboxylic acid are disclaimed.

2. (Currently amended) The compound of claim 1, wherein
~~ring 1~~ ring¹, ~~ring 2~~ ring² or ~~ring 3~~ ring³ as are

-(C₆-C₁₄)-aryl that is phenyl, naphthyl, 1-naphthyl, 2-naphthyl, biphenyl, 2-biphenyl, 3-biphenyl, 4-biphenyl, anthryl or fluorenyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or 5- or 6-membered aromatic heteroaryl ring that is dihydrofuranyl, dioxolyl, dioxanyl, furanyl, imidazolidinyl, imidazolyl, imidazolyl, isoxazolyl, isoxazolidinyl, 2-isoxazolyl, isothiazolyl, isothiazolidinyl, 2-isothiazolyl, morpholinyl, oxazolyl, oxothiolanyl, piperazinyl, piperidinyl, pyranyl, pyrazinyl, pyrazolyl, pyrazolidinyl, pyrazolyl, pyridazinyl, pyridinyl, pyrimidinyl, pyrrolyl, pyrrolidinyl, tetrahydrofuranyl, tetrahydropyridinyl, thiazolyl, thiomorpholinyl, thiophenyl or thiopyranyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

ring 4 as ring⁴ is

-(C₆-C₁₄)-aryl that is phenyl, naphthyl, 1-naphthyl, 2-naphthyl, biphenyl, 2-biphenyl, 3-biphenyl, 4-biphenyl, anthryl or fluorenyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G, 5- or 6-membered aromatic heteroaryl ring that is dihydrofuranyl, dioxolyl, dioxanyl, furanyl, imidazolidinyl, imidazolyl, imidazolyl, isoxazolyl, isoxazolidinyl, 2-isoxazolyl, isothiazolyl, isothiazolidinyl, 2-isothiazolyl, morpholinyl, oxazolyl, oxothiolanyl, piperazinyl, piperidinyl, pyranyl, pyrazinyl, pyrazolyl, pyrazolidinyl, pyrazolyl, pyridazinyl, pyridinyl, pyrimidinyl, pyrrolyl, pyrrolidinyl, tetrahydrofuranyl, tetrahydropyridinyl, thiazolyl, thiomorpholinyl, thiophenyl or

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

thiopyranyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or
heteroaryl that is acridinyl, azetidiny, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazaliny, carbazolyl, 4aH-carbazolyl, carboliny, chromanyl, chromenyl, cinnoliny, deca-hydroquinoliny, 2H,6H-1,5,2-dithiaziny, dihydrofuran[2,3-b]tetrahydrofuran, ~~fuazanyl~~ furanyl, furazanyl, imidazolidiny, imidazoliny, imidazolyl, 1H-indazolyl, indoliny, indoliziny, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindoliny, isoindolyl, isoquinoliny (benzimidazolyl), isothiazolyl, isoxazolyl, morpholiny, naphthyridiny, octahydroisoquinoliny, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidiny, oxazolyl, oxazolidiny, pyrimidiny, phenanthridiny, phenanthroliny, phenaziny, phenothiaziny, phenoxathiiny, phenoxaziny, phthalaziny, piperaziny, piperidiny, pteridiny, ~~puriny~~ puriny, pyranyl, pyraziny, pyroazolidiny, pyrazoliny, pyrazolyl, pyridaziny, ~~pyridoxazolyl~~ pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridiny, pyridyl, pyrimidiny, pyrrolidiny, pyrroliny, 2H-pyrroly, pyrroly, quinazoliny, quinoliny, 4H-quinoliziny, quinoxaliny, quinuclidiny, tetrahydrofuranyl, tetrahydroisoquinoliny, tetrahydroquinoliny, 6H-1,2,5-thiadaziny, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triaziny, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and ~~that~~ is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

R⁴ as is

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once, twice or three times, by halogen, -(C₃-C₆)-cycloalkyl, phenyl, naphthyl, acridiny, azetidiny, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazaliny, carbazolyl, 4aH-carbazolyl, carboliny, chromanyl, chromenyl, cinnoliny, deca-hydroquinoliny, 2H,6H-1,5,2-dithiaziny, dihydrofuran[2,3-b]tetrahydrofuran, ~~fuazanyl~~ furanyl, furazanyl, imidazolidiny, imidazoliny, imidazolyl, 1H-indazolyl, indoliny, indoliziny, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl,

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

isoindazolyl, isoindolyl, isoindolyl, isoquinolyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholyl, naphthyridyl, octahydroisoquinolyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, ~~puranyl~~ purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, ~~pyridoxazolyl~~ pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2H-pyrrolyl, pyrrolyl, quinazolyl, quinolyl, 4H-quinolizyl, quinoxalyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolyl, tetrahydroquinolyl, 6H-1,2,5-thiadiazyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

-(C₆-C₁₄)-aryl that is phenyl or naphthyl, or

heteroaryl that is acridinyl, azetidyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalyl, carbazolyl, 4aH-carbazolyl, carbolinyl, chromanyl, chromenyl, cinnolyl, deca-hydroquinolyl, 2H,6H-1,5,2-dithiazyl, dihydrofuran[2,3-b]tetrahydrofuran, ~~furanyl~~ furanyl, furazanyl, imidazolidinyl, imidazolyl, imidazolyl, 1H-indazolyl, indolyl, indolizyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolyl, isoindolyl, isoquinolyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholyl, naphthyridyl, octahydroisoquinolyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, ~~puranyl~~ purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, ~~pyridoxazolyl~~ pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2H-pyrrolyl, pyrrolyl, quinazolyl, quinolyl, 4H-quinolizyl, quinoxalyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolyl, tetrahydroquinolyl, 6H-1,2,5-thiadiazyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4-

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

R⁵ is

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once, twice or three times, by -(C₃-C₆)-cycloalkyl, phenyl, naphthyl, acridinyl, azetidiny, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazaliny, carbazolyl, 4aH-carbazolyl, carboliny, chromanyl, chromenyl, cinnoliny, deca-hydroquinoliny, 2H,6H-1,5,2-dithiaziny, dihydrofuran[2,3-b]tetrahydrofuran, ~~fuaranyl~~ furanyl, furazanyl, imidazolidiny, imidazoliny, imidazolyl, 1H-indazolyl, indoliny, indoliziny, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindoliny, isoindolyl, isoquinoliny (benzimidazolyl), isothiazolyl, isoxazolyl, morpholiny, naphthyridiny, octahydroisoquinoliny, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidiny, oxazolyl, oxazolidiny, pyrimidiny, phenanthridiny, phenanthroliny, phenaziny, phenothiaziny, phenoxathiiny, phenoxaziny, phthalaziny, piperaziny, piperidiny, pteridiny, ~~puriny~~ puriny, pyranly, pyraziny, pyroazolidiny, pyrazoliny, pyrazolyl, pyridaziny, ~~pyridoxazolyl~~ pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridiny, pyridyl, pyrimidiny, pyrrolidiny, pyrroliny, 2H-pyrroly, pyrroly, quinazoliny, quinoliny, 4H-quinoliziny, quinoxaliny, quinuclidiny, tetrahydrofuranyl, tetrahydroisoquinoliny, tetrahydroquinoliny, 6H-1,2,5-thiadaziny, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

-(C₆-C₁₄)-aryl that is phenyl or naphthyl, or heteroaryl that is acridiny, azetidiny, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazaliny, carbazolyl, 4aH-carbazolyl, carboliny, chromanyl, chromenyl, cinnoliny, deca-hydroquinoliny,

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, ~~furanyl~~ furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indoliziny, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, ~~puranyl~~ purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, ~~pyridoxazolyl~~ pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2H-pyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinoliziny, quinoxaliny, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadiazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

R⁶ as is

-(C₁-C₆)-alkyl that is unsubstituted or substituted; once, twice or three times, by -(C₃-C₆)-cycloalkyl, phenyl, naphthyl, acridinyl, azetidiny, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazaliny, carbazolyl, 4aH-carbazolyl, carbolinyl, chromanyl, chromenyl, cinnoliny, deca-hydroquinolinyl, 2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, ~~furanyl~~ furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indoliziny, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, ~~puranyl~~ purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl,

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

pyridazinyl, ~~pyridoxazolyl~~ pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2H-pyrrolyl, pyrrolyl, quinazoliny, quinolinyl, 4H-quinoliziny, quinoxaliny, quinuclidiny, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadiaziny, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and ~~that~~ is unsubstituted or substituted, independently of each other, once, twice or three times, by G,
-(C₆-C₁₄)-aryl that is phenyl or naphthyl, or
heteroaryl that is acridinyl, azetidiny, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazaliny, carbazolyl, 4aH-carbazolyl, carboliny, chromanyl, chromenyl, cinnoliny, deca-hydroquinolinyl, 2H,6H-1,5,2-dithiaziny, dihydrofuran[2,3-b]tetrahydrofuran, ~~fuaranyl~~ furanyl, furazanyl, imidazolidiny, imidazoliny, imidazolyl, 1H-indazolyl, indoliny, indoliziny, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindoliny, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholiny, naphthyridiny, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidiny, oxazolyl, oxazolidiny, pyrimidinyl, phenanthridiny, phenanthroliny, phenazinyl, phenothiaziny, phenoxathiiny, phenoxaziny, phthalaziny, piperaziny, piperidiny, pteridiny, ~~purynyl~~ puriny, pyranyl, pyraziny, pyroazolidiny, pyrazoliny, pyrazolyl, pyridazinyl, pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrroliny, 2H-pyrrolyl, pyrrolyl, quinazoliny, quinolinyl, 4H-quinoliziny, quinoxaliny, quinuclidiny, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadiaziny, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and ~~that~~ is unsubstituted or substituted, independently of each other, once, twice or three times, by G, and

R¹ as is

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once, twice or three times, by -(C₃-C₆)-cycloalkyl, phenyl, naphthyl, acridinyl, azetidyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalyl, carbazolyl, 4aH-carbazolyl, carbolinyl, chromanyl, chromenyl, cinnolyl, deca-hydroquinolyl, 2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, ~~fuazanyl~~ furanyl, furazanyl, imidazolidinyl, imidazolyl, imidazolyl, 1H-indazolyl, indolyl, indolizyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolyl, isoquinolyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholyl, naphthyridinyl, octahydroisoquinolyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, ~~puranyl~~ purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolyl, pyrazolyl, pyridazinyl, ~~pyridoxazolyl~~ pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2H-pyrrolyl, pyrrolyl, quinazolyl, quinolyl, 4H-quinolizyl, quinoxalyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolyl, tetrahydroquinolyl, 6H-1,2,5-thiadiazinyl, 1,2,3-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and ~~that~~ is unsubstituted or substituted, independently of each other, once, twice or three times, by G.

3. (Currently amended) The compound of claim 1, wherein
B, D and E are identical or different and are, independently of each other,

-(C₀-C₂)-alkylene,
-C₂-alkenylene,
-S(O)₂-,
-NH-,
-NH-C(O)-,
-C(O)-NH-,
-NH-C(O)-NH-,
-O-, or

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

-C(O)-,

~~ring-1~~ ring¹, ~~ring-2~~ ring² or ~~ring-3~~ ring³ as are

-(C₆-C₁₄)-aryl is phenyl or naphthyl that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or


5- or 6-membered aromatic heteroaryl ring that is dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl, and ~~is are~~ unsubstituted or substituted, independently of each other, once, twice or three times, by G,

~~ring-4~~ ring⁴ as is

-(C₆-C₁₄)-aryl that is phenyl or naphthyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

5- or 6-membered aromatic heteroaryl ring that is dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl, and is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl, and ~~is are~~ unsubstituted or substituted, independently of each other, once, twice or three times, by G, or azaheterocyclyl selected from the group consisting of



that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

G as is

halogen that is Br, Cl, I or F, and

-S(O)_p-R⁴ that is -S(O)₂-R⁴,

R⁴ is

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

hydrogen,

-(C₁-C₄)-alkyl that is unsubstituted or substituted, once, twice or three times, by Br,

Cl, F, -C₃-cycloalkyl, phenyl, naphthyl, or heteroaryl that is benzofuranyl,

benzothiophenyl, dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl,

pyridinyl, pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl and ~~is~~ are

unsubstituted or substituted, independently of each other, once, twice or three times,

by G,

phenyl or naphthyl,

heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl,

morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl,

pyrrolyl, thiazolyl or thiophenyl and ~~is~~ are unsubstituted or substituted, independently

of each other, once, twice or three times, by G,

-C(O)-O-R⁵, or

-C(O)-NH-R⁶,

R⁵ is

-(C₁-C₄)-alkyl that is unsubstituted or substituted, once or twice, by -C₃-cycloalkyl,

phenyl, naphthyl or heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl,

furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl,

pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl and ~~is~~ are unsubstituted or substituted,

independently of each other, once, twice or three times, by G,

phenyl or naphthyl, or

heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl,

morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl,

pyrrolyl, thiazolyl or thiophenyl that is substituted, independently of each other, once,

twice or three times, by G,

R⁶ is

-(C₁-C₄)-alkyl, in which alkyl is unsubstituted or substituted, once or twice, by -C₃-

cycloalkyl, phenyl, naphthyl or heteroaryl that is benzofuranyl, benzothiophenyl,

dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl,

pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl and ~~is~~ are

unsubstituted or substituted, independently of each other, once, twice or three times,

by G,

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

phenyl or naphthyl, or
heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl,
morpholinyl, piperazinyl, piperidiny, pyridinyl, pyridothiophenyl, pyrimidinyl,
pyrrolyl, thiazolyl or thiophenyl and that is substituted, independently of each other,
once, twice or three times, by G,


$X^1 X_1$ and $X^2 X_2$ are
hydrogen,

n^1 and n^2 are
 $-(CH_2)-$, or n^1 is $-(CH_2)_2-$ and n^2 is $-(CH_2)-$,


R^1 is
hydrogen, and

~~R^2~~ R^2 and R^3 are
hydrogen.

4. (Withdrawn) A process for preparing the compound of claim 1, comprising



wherein R^e is a hydrogen or an ester protecting group, with a compound of formula V,




in which A, B, D, E and $ring^1$, $ring^2$, $ring^3$ and $ring^4$ are defined as in the compound of formula I, and wherein R^z is chlorine atom, imidazolyl or OH,

in the presence of a base, or after silylation with a suitable silylating agent, to give a compound of formula VI,


DEAV2003/0001 US NP
Application No. 10/751,600

PATENT



wherein A, B, D, E, R^e and ring¹, ring², ring³ and ring⁴ are as defined above, and

- b) where R^e is the ester protecting group, reacting a compound of formula VI, which has been prepared in accordance with step a), with a solution of an alkali such as NaOH or LiOH, and then treating with acid, to give the carboxylic acid of formula VII, with modifications in one of the side chains of ring¹-ring⁴ also having previously been carried out, where appropriate,



and then converting this compound into the compound of formula I wherein X is NH-OH, and

- c) optionally separating the compound of formula I, which has been prepared in accordance with steps a) or b) into an individual enantiomer by means of salt formation with an enantiomerically pure acid or base, chromatography on a chiral stationary phase or derivatization using chiral, enantiomerically pure compound, such as an amino acid, separation of the resulting derivatized diastereomers and elimination of the chiral auxiliary derivatization group, or

DEAV2003/0001 US NP
Application No. 10/751,600

PATENT

- d) optionally isolating the compound of formula I, which has been prepared in accordance with steps b) or c), in free form or, when an acidic or basic group is present, converting it into a corresponding physiologically tolerated salt.
5. (Previously presented) A pharmaceutical preparation comprising a pharmaceutically effective amount of at least one compound according to claim 1 and a pharmaceutically tolerated carrier.
6. (Withdrawn) The use of the compound of claim 1 for the prophylaxis or therapy of a disease such as osteoarthroses, spondyloses, cartilage loss following joint trauma or a relatively long period of joint immobilization following meniscus or patella injuries or ligament rupture.
7. (Withdrawn) The use of the compound of claim 1 for the prophylaxis or therapy of a disease of the connective tissue such as collagenoses, periodontal disease or wound healing disturbances.
8. (Withdrawn) The use of the compound of claim 1 for the prophylaxis or therapy of a chronic disease of the locomotory apparatus, such as inflammatory, immunologically-determined or metabolism-determined acute and chronic arthritide, arthropathy, myalgia and a disturbance in bone metabolism.
9. (Withdrawn) The use of the compound of claim 1 for the treatment of ulceration, atherosclerosis or stenoses.
10. (Withdrawn) The use of the compound of claim 1 for the treatment of inflammations, cancer disease, tumor metastasis formation, cachexia, anorexia, heart failure or septic shock.
11. (Withdrawn) The use of the compound of claim 1 for the prophylaxis of myocardial and cerebral infarcts.